

Appendix A. Published papers revealed by literature search combining chemical communication studies with conservation of mammal species.

- Acosta-Jamett, G., Simonetti, J.A., 2004. Habitat use by *Oncifelis guigna* and *Pseudalopexm culpaeus* in a fragmented forest landscape in central Chile. *Biodiversity and Conservation* 13, 1135-1151.
- Adams, J.R., Kelly, B.T., Waits, L.P., 2003. Using faecal DNA sampling and GIS to monitor hybridization between red wolves (*Canis rufus*) and coyotes (*Canis latrans*). *Molecular Ecology* 12, 2175-2186.
- Alexy, K.J., Gasset, J.W., Osborn, D.A., Miller, K.V., 2001. Remote monitoring of scraping behaviours of a wild population of white-tailed deer. *Wildlife Society Bulletin* 29, 873-878.
- Andreassen, H.P., Gundersen, H., Storaas, T. 2005. The effect of scent-marking, forest clearing, and supplemental feeding on moose-train collisions. *Journal of Wildlife Management* 69, 1125-1132.
- Attum, O., Eason, P., Wakefield, S., 2009. Conservation implications of midden selection and use in an endangered gazelle (*Gazella gazella*). *Journal of Zoology* 268, 255-260.
- Baker, S.E., Ellwood, S.A., Slater, D., Watkins, R.W., Macdonald, D.W., 2008. Food aversion plus odor cue protects crop from wild mammals. *Journal of Wildlife Management* 72, 785-791.
- Baker, S.E., Ellwood, S.A., Watkins, R., MacDonald, D.W., 2005. Non-lethal control of wildlife: using chemical repellents as feeding deterrents for the European badger *Meles meles*. *Journal of Applied Ecology* 42, 921-931.
- Baker, S.E., Johnson, P.J., Slater, D., Watkins, R.W., Macdonald, D.W., 2007. Learned food aversion with and without an odour cue for protecting untreated baits from wild mammal foraging. *Applied Animal Behaviour Science* 102, 410-428.
- Banks, P.B., Norrdahl, K., Korpimaki, E., 2002. Mobility decisions and the predation risks of reintroduction. *Biological Conservation* 103, 133-138.
- Barbosa, M.N., Mota, M.T.D., 2009. Behavioral and hormonal response of common marmosets, *Callithrix jacchus*, to two environmental conditions. *Primates* 50, 253-260.
- Barea-Azcon, J.M., Virgos, E., Ballesteros-Duperon, E., Moleon, M., Chiroso, M., 2007. Surveying carnivores at large spatial scales: a comparison of four broad-applied methods. *Biodiversity and Conservation* 16, 1213-1230.

- Barja, I., Miguel, F.J., 2010. Chemical communication in large carnivores: urine marking frequencies in captive tigers and lions. *Polish Journal of Ecology* 58, 397-400.
- Beier, L.R., Lewis, S.B., Flynn, R.W., Pendleton, G., Schumacher, T.V., 2005. From the field: A single-catch snare to collect brown bear hair for genetic mark-recapture studies. *Wildlife Society Bulletin* 33, 766-773.
- Berzins, R., Helder R., 2008. Olfactory communication and the importance of different odour sources in the ferret (*Mustela putorius f. furo*). *Mammalian Biology* 73, 379-387.
- Bianconi, G.V., Mikich, S.B., Teixeira, S.D., Maia, B.H.L.N.S., 2007. Attraction of fruit-eating bats with essential oils of fruits: A potential tool for forest restoration. *Biotropica* 39, 136-140.
- Blount, J. D., Taylor, N. J., 2000. The relative effectiveness of manipulable feeders and olfactory enrichment for Kinkajous *Potos flavus*: A preliminary study of Newquay Zoo. *International Zoo Yearbook* 37, 381-394.
- Blumstein, D.T., Barrow, L., Luterra, M., 2008. Olfactory Predator Discrimination in Yellow-Bellied Marmots. *Ethology* 114, 1135-1143.
- Blumstein, D.T., Mari, M., Daniel, J.C., Ardron, J.G., Griffin, A.S., Evans, C.S., 2002. Olfactory predator recognition: wallabies may have to learn to be wary. *Animal Conservation* 5, 87-93.
- Borgo, J.S., Conner, L.M., Conover, M.R., 2006. Role of predator odor in roost site selection of southern flying squirrels. *Wildlife Society Bulletin* 34, 144-149.
- Bramley, G.N., Waas, J.R., 2001. Laboratory and field evaluation of predator odors as repellents for kiore (*Rattus exulans*) and ship rats (*R. rattus*). *Journal of Chemical Ecology* 27, 1029-1047.
- Bramley, G.N., Waas, J.R., Henderson, H.V., 2000. Responses of wild Norway rats (*Rattus norvegicus*) to predator odors. *Journal of Chemical Ecology* 26, 705-719.
- Brinkerhoff, R.J., Haddad, N.M., Orrock, J.L., 2005. Corridors and olfactory predator cues affect small mammal behaviour. *Journal of Mammalogy* 86, 662-669.
- Browne, C., Stafford, K., Fordham, R. 2006. The use of scent-detection dogs. *Irish Veterinary Journal*, 59.
- Campbell-Palmer, R., Rosell, F., 2010. Conservation of the Eurasian beaver *Castor fiber*: an olfactory perspective. *Mammal Review* 40, 293-312.
- Carlstead, K., Brown, J.L., 2005. Relationships between patterns of fecal corticoid excretion and behavior, reproduction, and environmental factors in captive black (*Diceros bicornis*) and white (*Ceratotherium simum*) rhinoceros. *Zoo Biology* 24, 215-232.

- Castro-Arellano, I., Madrid-Luna, C., Lacher, T.E., Leon-Paniagua, L., 2008. Hair-trap efficacy for detecting mammalian carnivores in the tropics. *Journal of Wildlife Management* 72, 1405-1412.
- Chakravarthy, A.K., Thyagaraj, N.E., Kumar, L.V., et al. 2008. Crop raiding and management of *Funambulus palmarum* in cardamom (*Elettaria cardamomum*) plantations of Western Ghats of Karnataka, south India. *Current Science* 95, 907-911.
- Cho, H.S., Choi, K.H., Lee, S.D., Park, Y.S., 2009. Characterizing habitat preference of Eurasian river otter (*Lutra lutra*) in streams using a self-organizing map. *Limnology* 10, 203-213.
- Choate, D.M., Wolfe, M.L., Stoner, D.C. 2006. Evaluation of cougar population estimators in Utah. *Wildlife Society Bulletin* 34, 782-799.
- Dalerum, F., Creel, S., Hall, S.B., 2006. Behavioral and endocrine correlates of reproductive failure in social aggregations of captive wolverines (*Gulo gulo*). *Journal of Zoology* 269, 527-536.
- Dallas, J.F., Coxon, K.E., Sykes, T., Chanin, P.R.F., Marshall, F., Carss, D.N., Bacon, P.J., Piertney, S.B., Racey, P.A., 2003. Similar estimates of population genetic composition and sex ratio derived from carcasses and faeces of Eurasian otter *Lutra lutra*. *Molecular Ecology* 12, 275-282.
- Delahay, R.J., Brown, J.A., Mallinson, P.J., Spyvee, P.D., Handoll, D., Rogers, L.M., Cheeseman, C.L., 2000. The use of marked bait in studies of the territorial organization of the European Badger (*Mele meles*). *Mammal Review* 30, 73-87.
- Dematteo, K.E., Rinas, M.A., Sede, M.M., Davenport, B., Arguelles, C.F., Lovett, K., Parker, P.G., 2009. Detection Dogs: An effective technique for bush dog surveys. *Journal of Wildlife Management* 73, 1436-1440.
- Dempsey, J., L., Hanna, S. J., Asa, C. S., Bauman, K. L., 2009. Nutrition and behavior of fennec foxes (*Vulpes zerda*). *Veterinary Clinics of North America Exotic Animal Practice* 12, 299-312.
- Ding, B., Zhang, Y.P., Ryder, O.A., 1998. Extraction, PCR amplification, and sequencing of mitochondrial DNA from scent mark and feces in the giant panda. *Zoo Biology* 17, 499-504.
- Fankhauser, R., Galeffi, C., Suter, W., 2008. Dung avoidance as a possible mechanism in competition between wild and domestic ungulates: two experiments with chamois *Rupicapra rupicapra*. *European Journal of Wildlife Research* 54, 88-94.
- Fisher, D.O., Cockburn, A., 2006. The large-male advantage in brown antechinuses: female choice, male dominance, and delayed male death. *Behavioural Ecology* 17, 164-171.

- Fisher, H.S., Swaisgood, R.R., Fitch-Snyder, H., 2003a. Countermarking by male pygmy lorises (*Nycticebus pygmaeus*): do females use odor cues to select mates with high competitive ability? *Behavioural Ecology and Sociobiology* 53, 123-130.
- Fisher, H.S., Swaisgood, R.R., Fitch-Snyder, H., 2003b. Odor familiarity and female preferences for males in a threatened primate, the pygmy loris *Nycticebus pygmaeus*: applications for genetic management of small populations. *Naturwissenschaften* 90, 509-512.
- Fleming, P.J.S., Allen, L.R., Lapidge, S.J., Robley, A., Saunders, G.R., Thomson, P.C., 2006. Strategic approach to mitigating the impacts of wild canids: proposed activities of the Invasive Animals Cooperative Research Centre. *Australian Journal of Experimental Agriculture* 46,753-762.
- Gazit, I., Terkel, A., Terkel, J., 1998. Breeding and husbandry of the Blind mole rat *Nannospalax ehrenbergi* at the Zoology Department, Tel Aviv University. *International Zoo Yearbook* 36, 246-255.
- Gehring, T.M., Swihart, R.K., 2003. Body size, niche breadth, and ecologically scaled responses to habitat fragmentation: mammalian predators in an agricultural landscape. *Biological Conservation* 109, 283-295.
- Groot Bruinderink, G.W.T. A., Hazebroek, E., 1996. Ungulate traffic collisions in Europe. *Conservation Biology* 10, 1059-1067.
- Gsell, A., Innes, J., de Monchy, P., Brunton, D., 2010. The success of using trained dogs to locate sparse rodents in pest-free sanctuaries. *Wildlife Research* 37, 39-46.
- Guil, F; Agudin, S., El-Khadir, N., Fernandez-Olalla, M., Figueredo, J., Dominguez, F.G., Garzon, P., Gonzalez G., Munoz-Igualada, J., Oria, J., Silvestre, F., 2010. Factors conditioning the camera-trapping efficiency for the Iberian lynx (*Lynx pardinus*). *European Journal of Wildlife Research* 56, 633-640.
- Gruber, B., Reineking, B., Calabrese, J.M., Kranz, A., Polednikova, K., Polednik, L., Klenke, R., Valentin, A., Henle, K., 2008. A new method for estimating visitation rates of cryptic animals via repeated surveys of indirect signs. *Journal of Applied Ecology* 45, 728-735.
- Hansen, H., McDonald, D.B., Groves, P., Maier, J.A.K., Ben-David, M., 2009. Social networks and the formation and maintenance of river otter groups. *Ethology* 115, 384-396.
- Haring, D., Davis, K., 1998. Management of the Grey gentle or Eastern lesser bamboo lemur *Haplemur griseus griseus* at Duke University Primate Center, Durham. *International Zoo Yearbook* 36, 20-34.

- Hayward, M.W., Hayward, G.J., 2010. Potential amplification of territorial advertisement markings by black-backed jackals (*Canis mesomelas*). *Behaviour* 147, 979-992.
- Heath, J.P., McKay, D.W., Pitcher, M.O., Storey, A.E., 2001. Changes in the reproductive behaviour of the endangered Newfoundland marten (*Martes americana atrata*): implications for captive breeding programs. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 79, 149-153.
- Helon, D. A., Anderson, J. T., Osbourne, J. D., 2002. Comparison of interior versus roadside scent station placement to determine carnivorous mammal presence. *Game & Wildlife Science* 19, 303-312.
- Hogan, L.A., Johnston, S.D., Lisle, A., Horsup, A.B., Janssen, T., Phillips, C.J.C., 2010. Stereotypies and environmental enrichment in captive southern hairy-nosed wombats, *Lasiorhinus latifrons*. *Applied Animal Behaviour Science* 126, 85-95.
- Hollen L.I., Manser, M.B., 2007. Persistence of alarm-call behaviour in the absence of predators: A comparison between wild and captive-born meerkats (*Suricata suricatta*). *Ethology* 113, 1038-1047.
- Hoover, S.E., Conover, M.R., 2000. Using eggs containing an irritating odor to teach mammalian predators to stop depredating eggs. *Wildlife Society Bulletin* 28, 84-89.
- Hutchings, M.R., White, P.C.L., 2000. Mustelid scent-marking in managed ecosystems: implications for population management. *Mammal Review* 30, 157-169.
- Ilmonen, P., Stundner, G., Thoss, M., Penn, D.J., 2009. Females prefer the scent of outbred males good-genes-as-heterozygosity? *BMC Evolutionary Biology* 9, 104.
- Jackson, R.M., Roe, J.D., Wangchuk, R., Hunter, D.O., 2006. Estimating snow leopard population abundance using photography and capture-recapture techniques. *Wildlife Society Bulletin* 34, 772-781.
- Kauffman, M.J., Sanjayan, M., Lowenstein, J., Nelson, A., Jeo, R.M., Crooks, K.R., 2007. Remote camera-trap methods and analyses reveal impacts of rangeland management on Namibian carnivore communities. *ORYX* 41, 70-78.
- Kerley, L.L., 2010. Using dogs for tiger conservation and research. *Integrative Zoology* 5, 390-396.
- Khan, M.M.H., Chivers, DJ., 2007. Habitat preferences of tigers *Panthera tigris* in the Sundarbans East Wildlife Sanctuary, Bangladesh, and management recommendations. *ORYX* 41, 463-468.
- Kuhar, C.W., Bettinger, T.L., Sironen, A.L., Shaw, J.H., Lasley, B.L., 2003. Factors affecting reproduction in zoo-housed Geoffroy's tamarins (*Saguinus geoffroyi*). *Zoo Biology* 22, 545-559.

- Landa, A., Tommeras, B.A., 1997. A test of aversive agents on wolverines. *Journal of Wildlife Management* 61, 510-516.
- Latham, N., Mason G., 2004. From house mouse to mouse house: the behavioural biology of free living *Mus musculus* and its implications in the laboratory. *Applied Animal Behaviour Science* 86, 261-289.
- Leighton, P.A., Horrocks, J.A., Kramer, D.L., 2009. How depth alters detection and capture of buried prey: exploitation of sea turtle eggs by mongooses. *Behavioral Ecology* 20, 1299-1306.
- Lenth, B.E., Knight, R.L., Brennan, M.E., 2008. The effects of dogs on wildlife communities. *Natural Areas Journal* 28, 218-227.
- Little, S.J., Harcourt, R.G., Clevenger, A.P., 2002. Do wildlife passages act as prey-traps? *Biological Conservation* 107, 135-145.
- Liu, D.Z., Wei, R.P., Zhang, G.Q., Yuan, H., Wang, Z.P., Sun, L.X., Zhang, J.X., Zhang, H.M., 2008. Male panda (*Ailuropoda melanoleuca*) urine contains kinship information. *Chinese Science Bulletin* 53, 2793-2800.
- Liu, D.Z., Yuan, H., Tian, H., Wei, R.P., Zhang, G.Q., Sun, L.X., Wang, L.W., Sun, R.Y., 2006. Do anogenital gland secretions of giant panda code for their sexual ability? *Chinese Science Bulletin* 51, 1986-1995.
- Loehle, C., 1999. Optimizing wildlife habitat mitigation with a habitat defragmentation algorithm. *Forest Ecology and Management* 120, 245-251.
- Lurling, M., Scheffer, M., 2007. Info-disruption: pollution and the transfer of chemical information between organisms. *Trends in Ecology & Evolution* 22, 374-379.
- Ma, M., Bariushaa, M., Xu, F., Mardan, T., Shou-Jing, Y., Shun-De, W., 2005. Markings as indicator of Snow Leopard in field survey, in Xinjiang. *Chinese Journal of Zoology* 40, 34-39.
- MacDonald, D.W., 1996. Social behaviour of captive bush dogs (*Speothos venaticus*). *Journal of Zoology* 239, 525-543.
- Manfredi, C., Soler, L., Lucherini, M., Casanave E.B., 2006. Home range and habitat use by Geoffroy's cat (*Oncifelis geoffroyi*) in a wet grassland in Argentina. *Journal of Zoology* 268, 381-387.
- McCain, E.B., Childs, J.L., 2008. Evidence of resident jaguars (*Panthera onca*) in the southwestern united states and the implications for conservation. *Journal of Mammalogy* 89, 1-10.
- McLean, I.G., Schmitt, N.T., Jarman, P.J., Duncan, C., Wynne, C.D.L., 2000. Learning for life: Training marsupials to recognise introduced predators. *Behaviour* 137, 1361-1376.

- Medina-Vogel, G., Gonzalez-Lagos, C., 2008. Habitat use and diet of endangered southern river otter *Lontra provocax* in a predominantly palustrine wetland Chile. *Wildlife Biology* 14, 211-220.
- Medina-Vogel, G., Kaufman, V.S., Monsalve, R., Gomez, V., 2003. The influence of riparian vegetation, woody debris, stream morphology and human activity on the use of rivers by southern river otters in *Lontra provocax* in Chile. *ORYX* 37, 422-430.
- Meng, X.X., Feng, J.C., Yang, Q.S., Feng, Z.J., Xu, H.F., 2008. The Impact of Seasons on Behavioral Pattern of Endangered Alpine Musk Deer in Captivity. *Pakistan Journal of Zoology* 40, 389-395.
- Moraes, I.A., De-Carvalho, M.C.A., Valle, H.D., Pessoa, V.P., Ferreira, A.M.R., Pissinatti, A., 2006. Histology of the sterna and suprapubic skin areas in lion tamarins (*Leontopithecus* sp. Callitrichidae – Primates). *American Journal of Primatology* 68 1120-1126.
- Morelli, T.L., Hayes, R.A., Wright, P.C., 2004. How lemurs really smell: A chemical and behavioural comparison of scent-marking in captive and wild lemurs. *FOLIA PRIMATOLOGICA* 75, 396-397.
- Nielsen, C.K., Woolf, A., 2002. Habitat-relative abundance relationship for bobcats in southern Illinois. *Wildlife Society Bulletin* 30, 222-230.
- Novaro, A.J., Funes, M.C., Walker, R.S. 2005. An empirical test of source-sink dynamics induced by hunting. *Journal of Applied Ecology* 42, 910-920.
- Orrock, J.L., 2010. When the ghost of predation has passed: Do rodents from islands with and without fox predators exhibit aversion to fox cues? *Ethology* 116, 338-345.
- Ortolani A., Leong K., Graham L., Savage A., 2005. Behavioral indices of estrus in a group of captive African elephants (*Loxodonta africana*). *Zoo Biology* 24, 311-329.
- Palagi, E., Norscia, I., 2009. Multimodal signalling in wild Lemur catta: Economic design and territorial function of urine marking. *American Journal of Physical Anthropology* 139, 182-192.
- Palphramand, K.L., Newton-Cross, G., White, P.C.L., 2007. Spatial organization and behaviour of badgers (*Meles meles*) in a moderate-density population. *Behavioral Ecology and Sociobiology* 61, 401-413.
- Palphramand, K.L., White, P.C.L., 2007. Badgers, *Meles meles*, discriminate between neighbour, alien and self scent. *Animal Behaviour* 74, 429-436.
- Parsons, M.H., Blumstein, D.T., 2010. Feeling Vulnerable? Indirect risk cues differently influence how two marsupials respond to novel dingo urine. *Ethology* 116, 972-980.

- Porter, A.D., St Clair, C.C., de Vries A., 2005. Fine-scale selection by marten during winter in a young deciduous forest. *Canadian Journal of Forest Research-Revue Canadienne de Recherche Forestiere* 35, 901-909.
- Preuss, T.S., Gehring, T.M., 2007. Landscape analysis of bobcat habitat in the northern Lower Peninsula of Michigan. *Journal of Wildlife Management* 71, 2699-2706.
- Pyare, S., Berger, J., 2003. Beyond demography and delisting: ecological recovery for Yellowstone's grizzly bears and wolves. *Biological Conservation* 113, 63-73.
- Rachlow, J.L., Kie, J.G., Berger, J., 1999. Territoriality and spatial patterns of white rhinoceros In Matobo National Park, Zimbabwe. *African Journal of Ecology* 37, 295-304.
- Rasmussen, L.E.L., 1998. Chemical communication: An integral part of functional Asian elephant (*Elephas maximus*) society. *Ecoscience* 5, 410-426.
- Rasmussen L.E.L., Wittemyer, G. 2002. Chemosignalling of musth by individual wild African elephants (*Loxodonta africana*): implications for conservation and management. *Proceedings of the Royal Society of London Series B-Biological Sciences* 269, 853-860.
- Rasoloharijaona, S., Randrianambinina, B., Joly-Radko, M., 2010. Does nonnutritive tree gouging in a rainforest-dwelling lemur convey resource ownership as does loud calling in a dry forest-dwelling lemur? *American Journal of Primatology* 72, 1062-1072.
- Reindl-Thompson, S.A., Shivik, J.A., Whitelaw, A., Hurt, A., Higgins, K.F., 2006. Efficacy of scent dogs in detecting black-footed ferrets at a reintroduction site in South Dakota. *Wildlife Society Bulletin* 34, 1435-1439.
- Reynolds, J.C., Short, M.J., Leigh, R.J. 2004. Development of population control strategies for mink *Mustela vison*, using floating rafts as monitors and trap sites. *Biological Conservation* 120, 533-543.
- Roberts, S.C., Gosling, L.M., 2004. Manipulation of olfactory signalling and mate choice for conservation breeding: a case study of harvest mice. *Conservation Biology* 18, 548-556.
- Rolland, R.M., Hamilton, P.K., Kraus, S.D., Davenport, B., Gillett, R.M., Wasser, S.K., 2006. Faecal sampling using detection dogs to study reproduction and health in North Atlantic right whales (*Eubalaena glacialis*). *Journal of Cetacean Research and Management* 8, 121-125.
- Rosell, F., Kvinlaug, J. K., 1998. Methods for live-trapping beaver (*Castor* spp.). *Fauna Norvegica Series A* 19, 1-28.

- Rosell, F., Parker, H., Steifetten, O., 2006. Use of dawn and dusk sight observations to determine colony size and family composition in Eurasian beaver *Castor fiber*. *Acta Theriologica* 51, 107-112.
- Rosell, F., Sun, L.X., 1999. Use of anal gland secretion to distinguish the two beaver species *Castor canadensis* and *C-fiber*. *Wildlife Biology* 5, 119-123.
- Ruczynski, I., Kalko, E.K.V., Siemers, B.M., 2009. Calls in the Forest: A Comparative Approach to How Bats Find Tree Cavities. *Ethology* 115, 167-177.
- Salek, M., Kreisinger, J., Sedlacek, F., Albrecht, T., 2009. Corridor vs. hayfield matrix use by mammalian predators in an agricultural landscape. *Agriculture Ecosystems & Environment* 134, 8-13.
- Santiapillai, C., Read, B., 2010. Would masking the smell of ripening paddy-fields help mitigate human-elephant conflict in Sri Lanka? *ORYX* 44, 509-511.
- Saunders, G., Harris, S., 2000. Evaluation of attractants and bait preferences of captive red foxes (*Vulpes vulpes*). *Wildlife Research* 27, 237-243.
- Schauster, E.R., Gese, E.M., Kitchen, A.M., 2002. An evaluation of survey methods for monitoring swift fox abundance. *Wildlife Society Bulletin* 30, 464-477.
- Schmidt, K., Kowalczyk, R. 2006. Using scent-marking stations to collect hair samples to monitor Eurasian lynx populations. *Wildlife Society Bulletin* 34, 462-466.
- Schulte, B.A., Freeman, E.W., Goodwin, T.E., Hollister-Smith, J., Rasmussen, L.E.L., 2007. Honest signalling through chemicals by elephants with applications for care and conservation. *Applied Animal Behaviour Science* 102, 344-363.
- Short, J., Turner, B., Risbey, D. 2002. Control of feral cats for nature conservation. III. Trapping. *Wildlife Research* 29, 475-487.
- Silva-Rodriguez, E.A., Ortega-Solis, G.R., Jimenez, J.E., 2010. Conservation and ecological implications of the use of space by chilla foxes and free-ranging dogs in a human-dominated landscape in southern Chile. *Austral Ecology* 35, 765-777.
- Smith, T.E., Abbott, D.H., 1998. Behavioral discrimination between circumgenital odor from peri ovulatory dominant and anovulatory female common marmosets (*Callithrix jacchus*). *American Journal of Primatology* 46, 265-284.
- Spurr, E.B., Jolly, S.E., 1999. Dominant and subordinate behaviour of captive brushtail possums (*Trichosurus vulpecula*). *New Zealand Journal of Zoology* 26, 263-270.
- Stanley, T.R., Royle, J.A. 2005. Estimating site occupancy and abundance using indirect detection indices. *Journal of Wildlife Management* 69, 874-883.

- Stober, J. M., Conner, L. M., 2007. Scent deterrence to reduce southern flying squirrel kleptoparasitism of red-cockaded woodpecker cavities. *Human-Wildlife Conflicts* 1, 45-48.
- Sullivan, T.P., Sullivan, D.S., Reid, D.G., Leung, M.C., 2004. Weasels, voles, and trees: Influence of mustelid semiochemicals on vole populations and feeding damage. *Ecological Applications* 14, 999-1015.
- Swaisgood, R.R., Lindburg, D.G., Zhou, X.P., 1999. Giant pandas discriminate individual differences in conspecific scent. *Animal Behaviour* 57, 1045-1053.
- Swaisgood, R.R., Lindburg, D.G., Zhou, X.P., Owen, M.A., 2000. The effects of sex, reproductive condition and context on discrimination of conspecific odours by giant pandas. *Animal Behaviour* 60, 227-237.
- Tobey, J.R., Nute, T.R., Bercovitch, F.B. 2009. Age and seasonal changes in the semiochemicals of the sternal gland secretions of male koalas (*Phascolarctos cinereus*). *Australian Journal of Zoology* 57, 111-118.
- Tolhurst, B.A., Delahay, R.J., Walker, N.J., Ward, A.I., Roper, T.J., 2009. Behaviour of badgers (*Meles meles*) in farm buildings: Opportunities for the transmission of *Mycobacterium bovis* to cattle? *Applied Animal Behaviour Science* 117, 103-113.
- Travaini, A., Laffitte, R., Delibes, M., 1996. Determining the relative abundance of European red foxes by scent-station methodology. *Wildlife Society Bulletin* 24, 500-504.
- Travaini, A., Rodriguez, A., Procopio, D., Zapata, S.C., Zanon, J.I., Martinez-Peck, R., 2010. A monitoring program for Patagonian foxes based on power analysis. *European Journal of Wildlife Research* 56, 421-433.
- Vanak, A.T., Thaker, M., Gompper, M.E., 2009. Experimental examination of behavioural interactions between free-ranging wild and domestic canids. *Behavioral Ecology and Sociobiology* 64, 279-287.
- Vargas, A., Anderson, S.H., 1996. Effects of diet on captive black-footed ferret (*Mustela nigripes*) food preference. *Zoo Biology* 15, 105-113.
- Vargas, A., Anderson, S.H., 1998. Black-footed ferret (*Mustela nigripes*) behavioural development: Aboveground activity and juvenile play. *Journal of Ethology* 16, 29-41.
- Wabakken, P., Sand, H., Liberg, O., Bjarvall, A., 2001. The recovery, distribution, and population dynamics of wolves on the Scandinavian peninsula, 1978-1998. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 79, 710-725.
- Wallach, A.D., Murray, B.R., O'Neill, A.J., 2009. Can threatened species survive where the top predator is absent? *Biological Conservation* 142, 43-52.

- Ward, J.F., Macdonald, D.W., Doncaster, C.P., Mauget, C., 1996. Physiological response of the European hedgehog to predator and nonpredator odour. *Physiology & Behaviour* 60, 1469-1472.
- Warrick, G.D., Cypher, B.L., 1998. Factors affecting the spatial distribution of San Joaquin kit foxes. *Journal of Wildlife Management* 62, 707-717.
- Wasser, SK; Smith, H; Madden, L., Marks, N., Vynne, C., 2009. Scent-Matching Dogs Determine Number of Unique Individuals From Scat. *Journal of Wildlife Management* 73, 1233-1240.
- Weldon, P.J., 2004. Defensive anointing: extended chemical phenotype and unorthodox ecology. *Chemoecology* 14, 1-4.
- Wells, D.L., 2009. Sensory stimulation as environmental enrichment for captive animals: A review. *Applied Animal Behaviour Science* 118, 1-11.
- White, P.C.L., McClean, C.J., Woodroffe, G.L., 2003. Factors affecting the success of an otter (*Lutra lutra*) reinforcement programme, as identified by post-translocation monitoring. *Biological Conservation* 112, 363-371.
- Wilson, G.J., Delahay, R.J., 2001. A review of methods to estimate the abundance of terrestrial carnivores using field signs and observation. *Wildlife Research* 28, 151-164.
- Windberg, L.A., Ebbert, S.M., Kelly, B.T., 1997. Population characteristics of coyotes (*Canis latrans*) in the northern Chihuahuan Desert of New Mexico. *American Midland Naturalist* 138, 197-207.
- Woodroffe, R., Donnelly, C.A., Cox, D.R., Bourne, F.J., Cheeseman, C.L., Delahay, R.J., Gettinby, G., McInerney, J.P., Morrison, W.I., 2006. Effects of culling badger *Meles meles* spatial organization: implications for the control of bovine tuberculosis. *Journal of Applied Ecology* 43, 1-10.
- Wronski, T., Plath, M., 2009. Characterization of the spatial distribution of latrines in reintroduced mountain gazelles: do latrines demarcate female group home ranges? *Journal of Zoology* 280, 92-101.
- Yu, S., Jiang, Z., Zhu, H., Li, C., Zhang, E., Zhang, J., Harrington, C., 2009. Effects of odors on behaviours of captive Amur leopards *Panthera pardus orientalis*. *Current Zoology* 55, 20-27.
- Zhang, G.Q., Swaisgood, R.R., Zhang, H.M., 2004. Evaluation of behavioral factors influencing reproductive success and failure in captive giant pandas. *Zoo Biology* 23, 15-31.
- Zoellick, B.W., Ulmschneider, H.M., Stanley, A.W., 2005. Distribution and composition of mammalian predators along the snake river in southwestern Idaho. *Northwest Science* 79, 265-272.